

North Eastern River Basin Management Plan

Outer Belfast Lough Classification

December 2009




An Agency within the Department of the
Environment
www.doeni.gov.uk



INVESTOR IN PEOPLE



NIEA Northern Ireland
Environment
www.ni-environment.gov.uk Agency


RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

BELFAST LOUGH OUTER


Water body Information


- River Basin District: NE
- Water Body Code: UKGBNI6NE080
- Water body type: CW5
- Water body characteristics: Euhaline, mesotidal, moderately exposed
- Water body area: 137.27 km²
- Heavily Modified Water Body: No

OVERALL WATERBODY CLASSIFICATION	<i>(H/G/M/P/B):</i> <i>(PASS/FAIL):</i>	MODERATE FAIL	
---	--	----------------------	--




Map showing waste water treatment pressures and monitoring points within Belfast Lough Outer (Coastal Water).

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM



Map of protected areas within Belfast Lough Outer (Coastal Water), see Annex F. Shellfish waters have recently been designated in the water body (2009).

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

PARAMETERS TABLE

Parameters for which classification systems are available and have been used in the first round of classification. Some biological assessment tools are not suitable for all water bodies due to habitat type.

Ecological Quality Element			
Main Element	Sub-Element	Applied	Comment
Phytoplankton	Biomass	✓	
Macroalgae (Seaweeds)	Opportunistic Macroalgae	☒	Tool not suitable.
	Reduced Species List	✓	
Angiosperms	Seagrass	☒	Tool not suitable.
	Saltmarsh	Assessed under protected areas.	See Annex F
Benthic Invertebrates	Infaunal Quality Index	✓	
	Imposex	✓	
Physico-chemical (Water)	Dissolved Oxygen	✓	
	Nutrients	✓	
	Specific Pollutants (Annex VIII substances)	☒	Data not available until 2009
Hydromorphological Quality Elements	SEPA Rapid Designation	✓	
	TraC MIMAS	✓	
Chemical Status			
Priority Hazardous Substances	Annex X substances	☒	Data not available until 2009

Waterbody Classification




Figure showing ecological classification of Belfast Lough Outer (Coastal Water)





Figure showing overall classification of Belfast Lough Outer (Coastal Water)


RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

First River Basin Cycle (2004 – 2008)

Monitoring Level: Surveillance

Sampling frequency for each quality element

Quality Elements	Year (if 1 in 3 yrs)	No. of sites
Biological		
Phytoplankton	2004-8	18 sites 105 samples
Macroalgae (Seaweeds)	Reduced Species List 2007	3 sites
Benthic Invertebrates	Infaunal Quality Index 2004-2006	4 sites x 2 years 3 sites x 1 year
	Imposex 2007	5
Physico-chemical		
Nutrients	2002-9	16 sites 60 samples plus transect data
Salinity	2002-3, 2007-8	9
Dissolved Oxygen (DO)	2002-3, 2007-8	9
Specific polluting substances (Annex VIII)	ND(2009)	
Hydromorphology	2007	
Water chemistry		
(Annex X)	ND(2009)	

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

BELFAST LOUGH OUTER

ANNEX A: Classification of Biological Quality Elements

QE: Phytoplankton

QE phytoplankton assessment (+ data confidence):	HIGH (M)	
---	-----------------	--

Classification tools:

1. Chlorophyll biomass index (90%ile).
 2. Species composition, abundance and bloom frequency will be reported in the next classification round.
- Data store (classification):
MARINE\Water Framework Directive\DRAFT WFD CLASSIFICATION REPORTS\QE Phytoplankton\Chlla 90th Percentile\Final 90th Percentile
 - Data Availability (spot & continuous samples):
Chl = spot (2004-2007) AFBINI & NIEA

1. Chlorophyll Biomass Index - 90%ile (Chl $\mu\text{g l}^{-1}$)
(Growing Season 1st Mar – 30th Sept)

Waterbody Chl. biomass assessment: HIGH (M)

Thresholds:

Water Ref. Area		Status				
		High	Good	Moderate	Poor	Bad
North/Irish Sea	Chl $\mu\text{g l}^{-1}$	<5	5-10	10-15	15-20	>20
	EQR	0 -1.0	1.0-0.8	0.8-0.6	0.6-0.4	0.4-0.2


Results:

90%ile	Status	Data Years	Data Quality	No. of daily averages	No. of Sites	No. of Samples	Data Confidence (proportion of possible months with data*)
3.99	HIGH	2004-2007	Medium	9	8	57	57.1%

* proportion of possible months (of growing season in years assessed) for which data are available

Data confidence: Medium

- The proportion of possible months sampled yields reasonable temporal coverage, and spatial coverage is also limited.
- Data from two different Agencies NIEA and AFBINI.

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

QE: Macroalgae Belfast Lough Outer

QE macroalgal assessment (+ data confidence):	HIGH (M)
--	-----------------

Classification tools: Reduced species list (RSL)
Macroalgal Blooming Tool – not applicable

Reduced Species List (RSL)

Waterbody RSL assessment: High (Medium)

Reduced Species List (RSL)

- WFD surveillance monitoring: 2007
- Data Availability (classification): 2007, 3 Sites
- Data Store: G:\MARINE\Projects 07\MM07-03 Marine Plants\Macrophyte Survey 07
- G:\MARINE\Projects 08\Marine Macrophytes

Boundaries:

Parameters	Quality Status	Bad	Poor	Moderate	Good	High
	Sub-metric quality status	0.0 – 0.2	0.21 – 0.4	0.41 – 0.6	0.61 – 0.8	0.81 – 1.0
Species richness (adj. for shore)		0 – 3	3 – 10	10 – 20	20 – 34	34 – 68
Proportion of Chlorophyta (% G)		80 – 100	45 – 80	30 – 45	20 – 30	0 – 20
Proportion of Rhodophyta (% R)		0 – 10	10 – 25	25 – 35	35 – 45	45 – 100
Ecological Status Group ratio (ESG)		0.0 – 0.2	0.2 – 0.4	0.4 – 0.6	0.6 – 0.8	0.8 – 1.2
Proportion of opportunists (% opp)		50 – 100	35 – 50	25 – 35	15 – 25	0 – 15

Results:


Shore	Sub-Metric EQR							RSLEQR	Status
	Shore desc.	Sp. richness	Adj. Sp. Richness	% G	% R	ESG	% Opp		
Ballymacormick Pt 2007	18	55	44	12.73	56.36	1.20	9.09	0.878	HIGH
Swinley Pt 2007	17	51	44	15.69	54.90	1.13	11.76	0.846	HIGH
Salt Mine Jetty 2007	13	34	39	8.82	55.88	1.27	11.76	0.862	HIGH
Mean								0.86 ±0.02	HIGH

Data Confidence: Medium

- Standard deviations (\pm) are included with the mean EQR
- Data QA (expert team)
- WFD specific data (Reduced species list completed; Full species list not yet carried out, tool not yet completed)
- Three shores (good spatial coverage) over single year (poor temporal trend assessment)

Alien taxa present: *Sargassum muticum*

QE: Angiosperms Belfast Lough Outer – Tool not applicable

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

QE: Benthic Invertebrates – Belfast Outer

QE benthic invertebrate assessment (+ Data confidence):	GOOD (M)	
--	-----------------	--

Classification tools: 1. Infaunal Quality Index (IQI)
2. Imposex tool (VDSI)

1. *IQI (v4)*

Water body IQI assessment: Good (Medium)

- WFD surveillance monitoring: 2008
 - Data store: Benthic invertebrates: UNICORN (NMMT) Database
 - Supporting Parameters: Particle size analysis (PSA), Water Quality Data Set
 - Digital images: AMAP Project folder
- Data Availability (classification): 3 sites, 5 reps, 3 years + 1 site, 5 reps, 2 years, Day Grab, 1 mm sieve
- Habitat max values (sub-tidal mud): $1-(AMBI/7) = 0.78$, $1-\text{Lambda}' = 0.72$, Taxa = 24

Boundaries (Intercalibrated NEAGIG):

Class	Bad	Poor	Moderate	Good	High
IQI	>0.0 ≤0.24	≥0.24 <0.44	≥0.44 <0.64	≥0.64 <0.75	≥0.75


Results

Year	Survey	Station	n	Mean	± S.D	Status
2004	MM-benthos	IS1, F1, F2 & F7	14	0.68	0.05	Good
2005	MM-benthos	IS1, F1, F2 & F7	14	0.67	0.05	Good
2006	MM-benthos	IS1, F1 & F7	11	0.71	0.02	Good
Overall Mean			3	0.69	0.02	Good

Data confidence: Medium

- Sample analysis QA'd through NMBAQC
- Database QA'd
- Single point with 5 replicates rather than spatial coverage
- F2 was not within EUNIS classification in 2006

Alien taxa present: *Crepidula fornicata* (Slipper limpet) recorded as present in AFBNI survey - 2009.

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

2. VDSI (*Nucella lapillus*)

QE benthic invertebrate assessment (+ Data confidence):	GOOD (M)	
--	-----------------	--

Waterbody VDSI assessment: *Good (H)*

- Data store: NIEA imposex shoreline data.xls; MERMAN
- Data availability: 2004/2007 NI survey

Boundaries:


Class	Moderate	Good	High
VDSI	≥4.0	≥0.3 <4.0	<0.3
EQR	<0.33 -0	≥0.33 <0.95	0.95 – 1.0

Results:

Year	Shore	VDSI	EQR	Status
2007	Clachan Rock	1.46	0.76	Good
2007	Helen's Bay	1.78	0.70	Good
2007	Lukes Point	2.81	0.53	Good
2007	Smelt Mill Bay	1.31	0.78	Good
2007	Swinley Point	1.22	0.80	Good

Data confidence: High

- Sample analysis QA through QUASIMEME (High)
- ≥3 sites (High)
- One year

RIVER BASIN MANAGEMENT PLAN		
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer	
	Version Date:	22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM	

ANNEX B: Classification of physico-chemical Quality Elements: General

Dissolved Oxygen

Dissolved oxygen (+ data confidence):	HIGH (M)	
--	-----------------	--

Classification tools: Comparison of 5% ile against reference standards

- Data store: \\marine on ehslis2k \Water Framework Directive\DRAFT WFD CLASSIFICATION REPORTS\Dissolved Oxygen
- Data Availability: 02,03,07,08
- Data Availability (spot & continuous samples): Spot

Thresholds:

WFD Status	Marine 5%ile	Objectives
HIGH	≥5.7 mg/L	All life stages of salmonids and transitional fish
GOOD	≥4.0 <5.7 mg/L	Presence of salmonids and transitional fish
MODERATE	≥2.4 <4.0 mg/L	Most life stages of non-salmonids adults
POOR	≥1.6 <2.4 mg/L	Presence of non-salmonids, poor survival of salmonids
BAD	<1.6 mg/L	No salmonids present, marginal survival of resident species


Results:

5% ile DO (mg/L)	Status	Data years	Data Quality	No. of daily averages	Data Coverage (proportion of possible months with data*)
6.79	HIGH	02,03,07,08	**	9	18.75%

* Proportion of possible months for which data are available

**Data Quality: Low

- Instruments subject to regular calibration checks and quality assurance programme, but databases not QA'd.
- Low = ≤ 4 daily averages x n (no. of assessment years)

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

Nutrients – Winter Dissolved Inorganic Nitrogen

Winter DIN (Data confidence):	MODERATE (M)	
--------------------------------------	---------------------	--

Data store: \\marine on ehslis2k \Water Framework Directive\Nuala-Lesley Nutrients\DIN for Classification\Coastal Water

- **Data Availability:** 2002 to 2008, DIN & salinity (November to February)
- **Data Availability (spot & continuous samples):** spot & transect


Winter DIN thresholds:

Area	Salinity range	DIN (uM)	DIN (uM)	DIN (uM)	DIN (uM)	DIN (uM)
		HIGH	GOOD	MODERATE	POOR	BAD
Coastal (at salinity 32)	30-34.5	<12	≥12 ≤18	>18 ≤30	>30 ≤40.5	>40.5

Results:

Mean Winter DIN (uM) (normalised to salinity 32)	Winter DIN Daily average (n)	No. of samples (n)	No. of sites	Data Years	Data Quality	Status
19.98	16 (and transect)	60	16 (and transect)	2002 - 2008	Database not yet QA'd	Moderate

Data confidence: Medium

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM


ANNEX C: Classification of physico-chemical quality elements: Specific Pollutants (Annex VIII)

Specific pollutants assessment (+data confidence)	₆ H (ND)	
---	---------------------	--

Classification tools: Comparison with EQS levels.

Data Availability: No data

Data confidence: Low


RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

ANNEX D: Hydromorphological quality elements

Overall hydromorphology assessment	GH	
------------------------------------	----	--

Classification tools:

1. TRaC Hydromorphology metrics
2. MIMAS

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

ANNEX E: Chemical Status – Annex X Chemicals

Overall water chemistry assessment (+data confidence)	σ H (ND)	
---	-----------------	--

Annex X: Overall Compliance


PASS-No data

Annex X: Pass/Fail

PASS-No data

Classification tools: Comparison with EQS levels.

Data Availability: WFD Dedicated data to be available post 2009.

RIVER BASIN MANAGEMENT PLAN	
	WFD COASTAL WATER BODY CLASSIFICATION Belfast Lough Outer
	Version Date: 22/12/09
	MARINE ASSESSMENT AND LICENSING TEAM

ANNEX F: Protected Area Objectives

Water body	Protected area	Designation	Status	Reason for non-compliance
Belfast Lough Outer	Belfast Lough Outer	SPA	Favourable	

Bathing Water Directive

Water Body		2008	2007	2006	2005	2004	2003
Belfast Lough Outer	Helen's Bay	Blue	Green	Blue	Blue	Green	Green
Belfast Lough Outer	Crawfordsburn	Green	Green	Blue	Blue	Blue	Blue
Belfast Lough Outer	Ballyholme	Red	Red	Blue	Green	Red	Green
Belfast Lough Outer	Groomsport	Blue	Blue	Blue	Green	Green	Blue

- Compliance with Guideline standards
- Compliance with Mandatory standards
- Failure to comply with Mandatory standards
- Not on monitoring programme

Ballyholme Bathing Water suffers from intermittent bathing water quality. This has been attributed to inadequate sewage treatment and sewerage infrastructure in Bangor. As of December 2007, Bangor and Donaghadee have a new waste water treatment works with full secondary treatment. However, Ballyholme bathing water still failed to meet the mandatory standards in 2008. The primary reason for failure has now been attributed to inadequate sewerage infrastructure, and Northern Ireland Water has a proposal for an interim solution by 2011.

Nitrates Directive

Until 1 January 2007, Northern Ireland had designated seven NVZs on the basis of elevated nitrate levels in groundwaters. These NVZs were very small and covered less than 1% of Northern Ireland's area. However, Northern Ireland also has a widespread problem of eutrophication of surface waters and a large proportion of this nutrient enrichment is attributable to agriculture. Following extensive consultation, the total territory of Northern Ireland was established as the area to which an action programme would be applied under the Protection of Water Against Agricultural Nitrate Pollution Regulations (Northern Ireland) 2004 with effect from 29 October 2004.

ANNEX G: Alien species (ECOREGION 17 Red List)

Sargassum muticum has been identified in a WMU macroalgal survey. *Crepidula fornicata* has been identified in an AFBINI survey.

RIVER BASIN MANAGEMENT PLAN



WFD COASTAL WATER BODY CLASSIFICATION
Belfast Lough Outer

Version Date: 22/12/09

MARINE ASSESSMENT AND LICENSING TEAM

Glossary

AFBI	Agri-Food and Biosciences Institute (under contract to NIEA)
AMBI	AZTI Marine Biotic Index
Annex 10	Annex 10 Priority Hazardous Substances
Annex 8	Annex 8 Specific Pollutants
Article 5	Characterisation, typology, pressures and impacts analysis
ASSI	Area of Special Scientific Interest
DIN	Dissolved Inorganic Nitrogen
DO	Dissolved Oxygen
EQR	Ecological Quality Ratio
EQS	Ecological Quality Status
EUNIS	European Nature Information System
FSL	Full Species List
GEP	Good Ecological Potential
GH	Good/High status
H/G/M/P/B	High/Good/Moderate/Poor/Bad (Classification Status)
H/M/L	High/Medium/Low (Confidence)
HMWB	Heavily Modified Water Body
IQI	Infaunal Quality Index
IRBD	International River Basin District
LOD	Limit of Detection
MBT	Macroalgal Blooming Tool
MEP	Moderate Ecological Potential
NB	Neagh Bann
ND	No data
NE	North Eastern
NEAGIG	North Eastern Atlantic Geographical Intercalibration Group
NIEA	Northern Ireland Environment Agency
N-regs	Nitrogen Regulation
NVZ	Nitrate Vulnerable Zone
NW	North Western
Physico-chem	Physical and chemical monitoring
RSL	Reduced Species List
SAC	Special Area of Conservation
SEPA	Scottish Environment Protection Agency
SPA	Special Protected Area
TNA	Tool Not Applicable
TraC MImAS	Transitional and Coastal Morphology Impact Assessment System
TUD	Tool Under Development
UKAS	United Kingdom Accreditation Service
UKTAG	United Kingdom Technical Advisory Group for Water Framework Directive
UNICORN	Database for marine organisms.
UWWTD	Urban Waste Water Treatment Directive (91/271/EEC)
VDSI	Vas Deferens Sequence Index
WFD	Water Framework Directive

Northern Ireland Environment Agency
17 Antrim Road
Lisburn
BT28 3AL

Our aim is to protect, conserve and promote
the natural environment and built heritage for
the benefit of present and future generations.

www.ni-environment.gov.uk



An Agency within the Department of the
Environment
www.doeni.gov.uk



INVESTOR IN PEOPLE