

draft RIVER BASIN MONITORING PLAN

CLASSIFICATION PAMPHLET

Transitional Waterbody Roe Estuary

22nd December 2008


ROE ESTUARY (TRANSITIONAL WATER)

Water body Information

- River Basin District: NE
- Water body type: Transitional Water 2 (TW2)
- Water body characteristics: Partly mixed/stratified, mesotidal, sand and mud, mesohaline
- Water body area: 2.56 km²
- Heavily Modified Water Body: No

WATERBODY CLASSIFICATION: MODERATE (FAIL)

Transitional waters are recognised across Europe as being difficult to classify as each one is unique. Transitional environments are naturally stressed systems with high spatial and temporal variability. Tools for assessment are not well developed for this classification. However additional tools may be available for March 2009.



Pressures and monitoring points (historic and planned) within Roe Estuary (Transitional Water).


draft RIVER BASIN MANAGEMENT PLAN



WFD TRANSITIONAL WATER BODY CLASSIFICATION
Roe Estuary

Version Date: 22/12/08

MARINE ASSESSMENT AND LICENSING TEAM




Protected areas within Roe Estuary (Transitional Water).

Parameters Requiring Assessment (for this exercise)**PARAMETERS TABLE**


(Parameters for which classification systems are available and have been used in the first round of classification)

Ecological Quality Element			
<i>Main Element</i>	<i>Sub-Element</i>	<i>Applied</i>	<i>Comment</i>
Plants	Macro Algae		
	-Opportunistic Macroalgae	<input checked="" type="checkbox"/>	Tool not applicable
	-Reduced Species List	<input checked="" type="checkbox"/>	Tool not applicable
	Angiosperms	<input checked="" type="checkbox"/>	Tool not applicable
	Phytoplankton	✓	Tool under development
Benthic Invertebrates	Infaunal Quality Index	<input checked="" type="checkbox"/>	Tool under development
	Imposex	<input checked="" type="checkbox"/>	Tool not applicable
Fish	Transitional Fish Classification Index	✓	
Physico-Chemical	General Conditions		
	-Dissolved Oxygen	✓	
	-Nutrients	<input checked="" type="checkbox"/>	Tool not applicable (salinity)
	Specific Pollutants (Annex VIII subs)	<input checked="" type="checkbox"/>	
Hydromorphological Quality Elements	SEPA Rapid Designation	✓	
	TraC MIMAS	✓	
Chemical Status			
Priority Hazardous Substances (Annex X)	Annex X Substances	<input checked="" type="checkbox"/>	

Waterbody Classification



Ecological classification of Roe Estuary (Transitional Water)



Overall classification of Roe Estuary (Transitional Water)

draft RIVER BASIN MANAGEMENT PLAN



**WFD TRANSITIONAL WATER BODY CLASSIFICATION
Roe Estuary**

Version Date: 22/12/08


MARINE ASSESSMENT AND LICENSING TEAM

First River Basin Cycle (2004 – 2008)

Monitoring Level: Surveillance

Sampling frequency for each quality element.

Quality Elements	Surveillance		
	Year (if 1 in 3 years)	Frequency (if p.a.)	No. of sites
Ecological			
Phytoplankton - 90 %ile	2004-7		3 sites 7 samples
Macroalgae	Fucoid extent	TUD	
	MBT	TNA	
Angiosperms	Seagrass	TNA	
	Saltmarsh	TUD	
Benthic Invertebrates	Infaunal Quality Index	TUD	
Fish	Spring	2007	
	Autumn	2007	
Physio-chemical			
Nutrients	TNA		
Salinity	2006-7		
Temperature	2006-7		
Dissolved Oxygen	2006-7		
Suspended Particulate Matter			
Light (Kd)			
Specific polluting substances (Annex VIII)	<input checked="" type="checkbox"/>		
Hydromorphology	Yes		
Water chemistry (Annex X)			
Priority hazardous substances	<input checked="" type="checkbox"/>		

draft RIVER BASIN MANAGEMENT PLAN			
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary		
	<table border="1"> <tr> <td>Version Date:</td> <td>22/12/08</td> </tr> </table>	Version Date:	22/12/08
	Version Date:	22/12/08	
MARINE ASSESSMENT AND LICENSING TEAM			


ANNEX A: Classification of Biological Quality Elements

QE: Phytoplankton **NO CURRENT REF CONDITIONS FOR TWs**

QE: Macroalgae – tool not applicable/ tool under development

QE Angiosperms – tool not applicable

QE: Benthic Invertebrates – tool under development for transitional waters

draft RIVER BASIN MANAGEMENT PLAN	
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary
	Version Date: 22/12/08
	MARINE ASSESSMENT AND LICENSING TEAM

QE: Transitional Fish – Roe

Overall transitional fish assessment: Moderate (L)

Classification tools: Transitional Fish Classification Index (TFCI)

Data store:

- Fish: NIEA fish data – MS Excel
- Supporting Parameters: NIEA physico-chemical parameters – MS Excel

Data Availability:

- WFD surveillance monitoring 2005-2007; one survey in 2005, two surveys in 2006 and 2007; sampling methods – seine netting & fyke nets.

EQR boundaries:

	Bad	Poor	Moderate	Good	High
EQR	<0.2	≥0.2; <0.4	≥0.4; <0.6	≥0.6; <0.8	≥0.8

Results:


Transitional Fish Classification Index (TFCI) – 2007 data

Metric Number	Metric	Score
1	Species composition	3
2	Presence of Indicator species	2
3	Species relative abundance	3
4	No. of taxa making up 90% of the abundance	3
5	No. of estuarine resident taxa	2
6	No. of estuarine-dependent marine taxa	3
7	Functional guild composition	4
8	No. of benthic invertebrate feeding taxa	3
9	No. of piscivorous taxa	1
10	Feeding guild composition	5
	TFCI	29
	EQR	0.48

Data confidence:

Low

- Survey methodologies and protocols (Medium)
- Realistic type-specific reference conditions (Medium)
- Data QA (Medium)
- Statistical testing and intercalibration (Low)

draft RIVER BASIN MANAGEMENT PLAN	
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary
	Version Date: 22/12/08
	MARINE ASSESSMENT AND LICENSING TEAM

ANNEX B: Classification of physico-chemical Quality Elements: General

Dissolved Oxygen

Waterbody DO assessment: GOOD (L)

Classification tools: Comparison of 5% ile against reference standards

- Data store: \\marine on ehslis2k \Water Framework Directive\DRAFT WFD CLASSIFICATION REPORTS\Dissolved Oxygen
- Data Availability: 2006/7
- Data Availability (spot & continuous samples): Spot
- Thresholds:

WFD Status	Marine 5%ile	Objectives
HIGH	≥5.7 mg/L	All life stages of salmonids and transitional fish
GOOD	≥4.0 <5.7 mg/L	Presence of salmonids and transitional fish
MODERATE	≥2.4 <4.0 mg/L	Most life stages of non-salmonid adults
POOR	≥1.6 <2.4 mg/L	Presence of non-salmonids, poor survival of salmonids
BAD	<1.6 mg/L	No salmonids present, marginal survival of resident species

Results:

5% ile DO (mg/L)	Status	Data years	Data Quality	No. of daily averages	Data Coverage (proportion of possible months with data*)
5.22	GOOD	2006/7	**	1	16.6%

* Proportion of possible months for which data are available

**Data Quality

Low

- Instruments subject to regular calibration checks and quality assurance programme, but databases not QA'd.
- Low ≤ 4 daily averages x n (no. of assessment years)



Nutrients – Winter DIN

N regulation assessment (+Data confidence) GOOD (ND)

The data collected for this assessment was outside the current salinity limits of this tool.


- **Classification tools:**
- **Data store:**
- **Data Availability:**
- **Data Availability (spot & continuous samples):**
- **N regulation thresholds:**

Area	Salinity range	DIN (uM) Winter mean H/G	DIN (uM) Winter mean G/M
Transitional (at salinity 25)	<30	20	30

Results:

Mean Winter DIN (uM) (normalised to salinity 25)	Winter DIN Daily average (n)	SPM	SPM (n)	Data Years	Data Quality	Status

- **Data confidence:** No data

draft RIVER BASIN MANAGEMENT PLAN			
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary		
	<table border="1"> <tr> <td>Version Date:</td> <td>22/12/08</td> </tr> </table>	Version Date:	22/12/08
	Version Date:	22/12/08	
MARINE ASSESSMENT AND LICENSING TEAM			

ANNEX C: Classification of physico-chemical quality elements: Other specific Pollutants


Overall specific pollutants assessment	Good (ND)
---	------------------

Annex VIII: Overall Compliance	Pass(ND)
Annex VIII: Pass/Fail	Pass(ND)

Classification tools: Comparison with EQS levels

Data Availability: 2008 data available for 2009 classification

Data confidence: No data


draft RIVER BASIN MANAGEMENT PLAN	
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary
	Version Date: 22/12/08
	MARINE ASSESSMENT AND LICENSING TEAM

ANNEX D: Hydromorphological quality elements

Overall hydromorphology assessment: Good

Classification tools:

1. TRaC Hydromorphology metrics
2. MIMAS

draft RIVER BASIN MANAGEMENT PLAN			
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary		
	<table border="1"> <tr> <td>Version Date:</td> <td>22/12/08</td> </tr> </table>	Version Date:	22/12/08
	Version Date:	22/12/08	
MARINE ASSESSMENT AND LICENSING TEAM			

ANNEX E: Chemical Status


Overall water chemistry assessment:	PASS (NO DATA)
--	-----------------------

Annex X: Overall Compliance	Pass No Data
Annex X: Pass/Fail	Pass

Classification tools: Comparison with EQS levels.

Data Availability: 2008 data available for 2009 classification.

Data confidence: No data.

draft RIVER BASIN MANAGEMENT PLAN	
	WFD TRANSITIONAL WATER BODY CLASSIFICATION Roe Estuary
	Version Date: 22/12/08
	MARINE ASSESSMENT AND LICENSING TEAM

ANNEX F: Protected Area Objectives

Water body	Protected area	Designation	Status	Reason for non-compliance
Roe Estuary	Lough Foyle	SPA	Favourable	

Nitrates Directive

Until 1 January 2007, Northern Ireland had designated seven NVZs on the basis of elevated nitrate levels in groundwaters. These NVZs were very small and covered less than 1% of Northern Ireland's area. However, Northern Ireland also has a widespread problem of eutrophication of surface waters and a large proportion of this nutrient enrichment is attributable to agriculture. Following extensive consultation, the total territory of Northern Ireland was established as the area to which an action programme would be applied under the Protection of Water Against Agricultural Nitrate Pollution Regulations (Northern Ireland) 2004 with effect from 29 October 2004.

Glossary

AFBI	Agri-Food and Biosciences Institute (under contract to NIEA)
AMBI	AZTI Marine Biotic Index
Annex 10	Annex 10 Priority Hazardous Substances
Annex 8	Annex 8 Specific Pollutants
Article 5	Characterisation, typology, pressures and impacts analysis
ASSI	Area of Special Scientific Interest
DIN	Dissolved Inorganic Nitrogen
DO	Dissolved Oxygen
EQR	Ecological Quality Ratio
EQS	Ecological Quality Status
EUNIS	European Nature Information System
FSL	Full Species List
GEP	Good Ecological Potential
H/G/M/P/B	High/Good/Moderate/Poor/Bad (Classification Status)
H/M/L	High/Medium/Low (Confidence)
HMWB	Heavily Modified Water Body
IQI	Infaunal Quality Index
IRBD	International River Basin District
LOD	Limit of Detection
MBT	Macroalgal Blooming Tool
MEP	Moderate Ecological Potential
NB	Neagh Bann
ND	No data
NE	North Eastern
NEAGIG	North Eastern Atlantic Geographical Intercalibration Group
NIEA	Northern Ireland Environment Agency
N-regs	Nitrogen Regulation
NVZ	Nitrate Vulnerable Zone
NW	North Western
Physico-chem	Physical and chemical monitoring
RSL	Reduced Species List
SAC	Special Area of Conservation
SEPA	Scottish Environment Protection Agency
SPA	Special Protected Area
TNA	Tool Not Applicable
TraC MImAS	Transitional and Coastal Morphology Impact Assessment System
TUD	Tool Under Development
UKAS	United Kingdom Accreditation Service
UKTAG	United Kingdom Technical Advisory Group for Water Framework Directive
UNICORN	Database for marine organisms.
UWWTD	Urban Waste Water Treatment Directive (91/271/EEC)
VDSI	Vas Deferens Sequence Index
WFD	Water Framework Directive